Neues Jahrbuch für Mineralogie

Begründet 1807

Monatshefte

Redaktion
R. EMMERMANN Giessen M. ROSENHAUER Göttingen
H. SAALFELD Hamburg E. B. WATSON Troy
R. A. YUND Providence P. J. DUNN Washington

Jahrgang 1988 · Mit zahlreichen Abbildungen und Tabellen im Text

E. Schweizerbart'sche Verlagsbuchhandlung
(Nägele u. Obermiller) · Stuttgart 1988

Alle Rechte, auch das der Übersetzung, vorbehalten

Printed in Germany

Jegliche Vervielfältigung einschließlich photomechanischer Wiedergabe der in dem Band enthaltenen Beiträge oder Teile daraus nur mit ausdrücklicher Genehmigung durch den Verlag.

Calwer Druckzentrum GmbH

Inhalt

Seite

Abraham, K. s. Medenbach, O.

Althaus, E. s. Heinrich, W.

Ayora, C. s. Melgarejo, J. C.

Barinov, N. N. s. Kazachenko, V. T.

Basso, R., Palenzona, A. & Zefiro, L.: Crystal structure refinement of volborthite from Scrava Mine (Eastern Liguria, Italy). With 2 figures in the text 385

Bernotat-Wulf, H., Bertelmann, D. & Wondratschek, H.: The annealing behaviour of Eifel sanidine (Volkesfeld). III. The influence of the sample surface and sample size on the order-disorder transformation rate. With 4 figures and 2 tables in the text 503

Bertelmann, D. s. Bernotat-Wulf, H.

Bolzenius, B. H. s. Farkas, L.

Bonaccorsi, E., Merlino, St. & Pasero, M.: Trikalsilite: its structural relationships with nepheline and tetrakalsilite. With 1 figure and 3 tables in the text 559

Brigatti, M. F.: Chemistry and structural order in hydrothermal and sedimentary Sardinia kaolinites. With 1 figure and 6 tables in the text 21

Brigatti, M. F. & Casari, L.: Chlorites from cobalt pyrite horizons, Upper Martello Valley (Alto Adige, Northern Italy). With 4 figures and 4 tables in the text 547

Brockamp, O. & Renner, T.: The hydrothermal aureole beneath the Rammelsberg ore deposit (Harz Mtns., FRG). With 4 figures in the text 179

Burke, E. A. J. & Dunn, P. J.: Cuprostibite, domeykite, native copper and native lead from the Franklin Mine, New Jersey (USA). With 2 figures in the text 145

Cardile, C. M. & Slade, P. G.: Structural studies of vermiculites with different iron contents by ^{57}Fe Mössbauer spectroscopy. With 1 figure and 2 tables in the text 297

Casari, L. s. Brigatti, M. F.

Charalampides, G., Ericsson, T., Nord, A. G. & Khangi, F.: Studies of hydrothermally prepared $(Fe,M)_3(PO_4)_2$-sarcopsides. With 3 figures and 5 tables in the text 324

Colella, C. s. De'Gennaro, M.

Cortesogno, L. s. Lucchetti, G.

Courtney, S. F. & Rodgers, K. A.: Herschelite from Tokatoka, New Zealand. With 3 figures and 1 table in the text 433

Criddle, A. J. s. Raade, G.

Davoli, P.: A least-squares analysis of the relationships between lattice parameters and composition in the system Hd–Ae–Di–Jd. With 3 figures and 3 tables in the text 271

De'Gennaro, M., Colella, C., Franco, E. & Stanzione, D.: Hydrothermal conversion of trachytic glass into zeolite. 1. Reactions with deionized water. With 5 figures and 2 tables in the text 149

Din, V. K. s. Raade, G.
Dódony, I. s. Pósfai, M.
Dunn, P. J. s. Burke, E. A. J.
Dunn, P. J. & Mandarino, J. A.: Formal definitions of type mineral specimens 241
Ebert, Chr. & Kern, H.: Placer gold from the Gevattergraben in the Frankenwald area (Germany) – mineralogical and morphological characteristics and their significance for gold prospecting. With 6 figures and 1 table in the text 405
Effenberger, H.: Ramsbeckite, $(Cu,Zn)_{15}(OH)_{22}(SO_4)_4 \cdot 6H_2O$: Revision of the chemical formula based on a structure determination. With 2 figures and 3 tables in the text 38
Ericsson, T. s. Charalampides, G.
Farkas, L., Bolzenius, B. H., Schäfer, W. & Will, G.: The crystal structure of kutnohorite $CaMn(CO_3)_2$. With 3 figures and 1 table in the text 539
Federico, M., Gianfagna, A. & Zanazzi, P. F.: A zirconium-bearing fassaite from the Alban Hills, Italy. With 2 tables in the text .. 495
Flehmig, W. & Gehlken, P.-L.: Chemical variations in the octahedral composition of Paleozoic illites and their genetic significance: An infrared spectroscopic study. With 4 figures and 2 tables in the text 249
Follner, H.: On the tracht variety of olivine and barite crystals. 20th communication. With 3 figures and 1 table in the text 244
Franco, E. s. De'Gennaro, M.
Fuess, H. s. Tagai, T.
Fyfe, W. S. & Tazaki, K.: Chemical alteration in the Triberg Granite, Moosengrund drilling, Schwarzwald. With 11 figures and 2 tables in the text 97
Galí, S. s. Melgarejo, J. C.
Gehlken, P.-L. s. Flehmig, W.
Gianfagna, A. s. Federico, M.
Gianfagna, A. & Tuzi, F.: Pyrrhotite-, diopside- and phlogopite-bearing "coronas" around olivine from the Alban Hills, Italy. With 6 figures and 1 table in the text 529
Giuseppetti, G., Mazzi, F. & Tadini, C.: The crystal structure of synthetic burkeite: $Na_4SO_4(CO_3)_t(SO_4)_{1-t}$. With 1 figure and 7 tables in the text 203
Giuseppetti, G. & Tadini, C.: The crystal structure of austinite, $CaZn(AsO_4)(OH)$, from Kamareza, Laurion (Greece). With 2 figures and 4 tables in the text 159
Granzin, J.: Die Kristalloptik von K_2ZrF_6 und K_2HfF_6 [Crystal optics of K_2ZrF_6 and K_2HfF_6]. Mit 2 Tabellen im Text 289
– Die Kristalloptik von $KZrF_5 \cdot H_2O$ [Crystal optics of $KZrF_5 \cdot H_2O$]. Mit 1 Tabelle im Text 293
– Die Kristalloptik von $RbAlSiO_4$ und $CsAlSiO_4$. [Crystal optics of $RbAlSiO_4$ and $CsAlSiO_4$]. Mit 1 Tabelle im Text 491
Hansen, St., Hålenius, U. & Lindqvist, B.: Antimony-rich pinakiolite from Långban, Sweden: a new structural variety. With 3 figures in the text 231

Hess, H. s. Keller, P.

Hess, H., Keller, P. & Riffel, H.: The crystal structure of chenite, $Pb_4Cu(OH)_6(SO_4)_2$. With 1 figure and 5 tables in the text 259

Hålenius, U. s. Hansen, St.

Hall, A.: Crustal contamination of minette magmas: evidence from their ammonium contents. With 1 figure and 1 table in the text 137

Heinrich, W. & Althaus, E.: Experimental determination of the reactions 4 Lawsonite + 1 Albite = 1 Paragonite + 2 Zoisite + 2 Quartz + 6 H_2O and 4 Lawsonite + 1 Jadeite = 1 Paragonite + 2 Zoisite + 1 Quartz + 6 H_2O. With 4 figures and 1 table in the text 516

Johan, Z.: Crystal symmetry of eskebornite, $CuFeSe_2$. With 1 figure and 3 tables in the text 337

Kaminuma, H. s. Tagai, T.

Kazachenko, V. T., Sapin, V. I., Narnov, G. A., Yudina, G. A. & Barinov, N. N.: Manganous barium-rich phlogopite from Shirokopadninskoye deposit in Primorye, U.S.S.R. With 11 figures and 3 tables in the text 49

Keller, P. s. Hess, H.

Keller, P. & Hess, H.: Die Kristallstrukturen von O'Danielit, $Na(Zn,Mg)_3H_2(AsO_4)_3$, und Johillerit, $Na(Mg,Zn)_3Cu(AsO_4)_3$. Mit 2 Abbildungen und 5 Tabellen im Text 395

Kern, H. s. Ebert, Chr.

Khangi, F. s. Charalampides, G.

Kuzel, H.-J. s. Pöllmann, H.

Kyle, P. R. s. Tagai, T.

Launspach, St. s. Persaud, E. C. R.

Leavens, P. B. & Rheingold, A. L.: Crystal structures of gordonite, $MgAl_2(PO_4)_2(OH)_2(H_2O)_6 \cdot 2H_2O$, and its Mn analog. With 4 tables in the text 265

Liati, A.: Amphibolitized eclogites in the Rhodope Crystalline Complex, near Xanthi (N. Greece). With 3 figures and 1 table in the text 1

Lindqvist, B. s. Hansen, St.

Livi, R. s. Rossman, G. R.

Lottermoser, B. G.: Supergene, secondary monazite from the Mt Weld carbonatite laterite, Western Australia. With 1 figure in the text 67

– Rare earth element composition of garnets from the Broken Hill Pb–Zn–Ag orebodies, Australia. With 1 figure and 1 table in the text ... 423

Lucchetti, G., Cortesogno, L. & Palenzona, A.: Low-temperature metamorphic mineral assemblages in Mn–Fe ores from Cerchiara mine (northern Apennine, Italy). With 2 figures and 5 tables in the text ... 367

Mandarino, J. A. s. Dunn, P. J.

Mazzi, F. s. Giuseppetti, G.

Medenbach, O., Schmetzer, K. & Abraham, K.: Fahleite from Tsumeb/Namibia, a new mineral belonging to the smolianinovite group. With 1 figure and 2 tables in the text 167

Melgarejo, J. C., Galí, S. & Ayora, C.: Tinticite: New structural and chemical data. With 3 figures and 3 tables in the text 446

Merlino, St. s. Bonaccorsi, E.

Michailidis, K. M. s. Vavelidis, M. K.

Micheelsen, H.: Uniaxial grain determined from interference figures. With 10 figures in the text 347

Mladeck, M. H. s. Raade, G.

Morton, R. D. s. Persaud, E. C. R.

Müller, G. s. Paulus, H.

Müller, G., Schuster, A. K. & Zippert, Y.: Spinifex textures and texture zoning in fayalite-rich slags of medieval iron-works near Schieder Village, NW-Germany. With 7 figures and 4 tables in the text 111

Mumme, W. G.: A note on the relationship of $Ca_{2.3}Mg_{0.8}Al_{1.5}Si_{1.1}Fe_{8.3}O_{20}$ (SFCA) with aenigmatite group minerals and sapphirine. With 3 figures and 2 tables in the text 359

Narnov, G. A. s. Kazachenko, V. T.

Nord, A. G. s. Charalampides, G.

Palenzona, A. s. Basso, R.

– s. Luccetti, G.

Pasero, M. s. Bonaccorsi, E.

Passaglia, E. s. Sacerdoti, M.

Passaglia, E. & Sacerdoti, M.: Hydrocalumite from Montalto di Castro, Viterbo, Italy. With 1 figure and 3 tables in the text 454

Pósfai, M., Dódony, I. & Soós, M.: Stacking disorder in the ZnS from Gyöngyösoroszi, Hungary. With 4 figures in the text 438

Paulus, H. & Müller, G.: The crystal structure of a hydrogen-feldspar. With 3 figures and 3 tables in the text 481

Persaud, E. C. R., Morton, R. D. & Launspach, St.: Bismuthian gersdorffites from the Dawn Lake U–Ni deposit, N. Saskatchewan, Canada. With 6 figures and 2 tables in the text 309

Pivec, E. s. Ulrych, J.

Povondra, P. s. Ulrych, J.

– s. Žáček, V.

Pöllmann, H. & Kuzel, H.-J.: Synthesis and polymorphic transformations of solid solutions in the system $3CaO \cdot Al_2O_3 \cdot CaCl_2 \cdot nH_2O$–$3CaO \cdot Al_2O_3 \cdot Ca(OH)_2 \cdot nH_2O$–$H_2O$. With 7 figures and 4 tables in the text and 2 tables in the appendix 193

Raade, G., Mladeck, M. H., Din, V. K., Criddle, A. J. & Stanley, C. J.: Blatterite, a new Sb-bearing Mn^{2+}–Mn^{3+} member of the pinakiolite group, from Nordmark, Sweden. With 5 figures and 5 tables in the text 121

Rauch, F. s. Rossman, G. R.

Renner, T. s. Brockamp, O.

Rezension 188

Rheingold, A. L. s. Leavens, P. B.

Riffel, H. s. Hess, H.

Rodgers, K. A. s. Courtney, S. F.

Rossman, G. R., Rauch, F., Livi, R., Tombrello, T. A., Shi, C. R. & Zhou, Z. Y.: Nuclear reaction analysis of hydrogen in almandine, pyrope and spessartite garnets. With 1 figure and 2 tables in the text 172

Rutšek, J. s. Ulrych, J.

Sacerdoti, M. s. Passaglia, E.

Sacerdoti, M. & Passaglia, E.: Hydrocalumite from Latium, Italy: its crystal structure and relationship with related synthetic phases. With 3 figures and 6 tables in the text 462

Sapin, V. I. s. Kazachenko, V. T.

Slade, P. G. s. Cardile, C. M.

Schäfer, W. s. Farkas, L.

Shi, C. R. s. Rossman, G. R.

Schmetzer, K.: Thermal stability of yellow colour and colour centres in natural citrine. With 2 figures in the text 71

– s. Medenbach, O.

Schröpfer, L. s. Tagai, T.

Schuster, A. K. s. Müller, G.

Soós, M. s. Pósfai, M.

Stanley, C. J. s. Raade, G.

Stanzione, D. s. De'Gennaro, M.

Süsse, P.: MINABS, a mineral data and reference file for Personal Computers [MINABS, eine Mineraldaten- und Literaturdatei für PC]. With 2 tables in the text 344

Tachikawa, O. s. Tagai, T.

Tadini, C. s. Giuseppetti, G.

Tagai, T., Takeda, H., Tachikawa, O., Schröpfer, L., Fuess, H., Kaminuma, H. & Kyle, P. R.: Microstructure and phase transitions of Ca-rich anorthoclase. With 6 figures and 1 table in the text 9

Takeda, H. s. Tagai, T.

Tarkian, M. s. Vavelidis, M. K.

Tazaki, K. s. Fyfe, W.

Tombrello, T. A. s. Rossman, G. R.

Tuzi, F. s. Gianfagna A.

Ulrych, J., Pivec, E., Povondra, P. & Rutšek, J.: Perovskite from melilite rocks, Osečná Complex, northern Bohemia, Czechoslovakia. With 8 figures and 2 tables in the text 81

Vavelidis, M. K., Michailidis, K. M. & Tarkian, M.: A new occurrence of placer gold in the Kato Peristera-Lakkia area, Thessaloniki district, Northern Greece. With 5 figures and 2 tables in the text 222

Wenk, E.: Albit-Ala- und Karlsbadzwillinge in Plagioklasen aus Amphiboliten der Tessiner Alpen [Albite-Ala- and Carlsbad-twins of plagioclase in amphibolites from the Ticino Alps]. Mit 2 Abbildungen im Text 418

Will, G. s. Farkas, L.

Wondratschek, H. s. Bernotat-Wulf, H.

Yudina, G. A. s. Kazachenko, V. T.

Žáček, V. & Povondra, P.: New mineralogical data for rostite from Libušín, Central Bohemia, Czechoslovakia. With 1 figure and 3 tables in the text 476

Zanazzi, P. F. s. Federico, M.

Zefiro, L. s. Basso, R.

Zhou, Z. Y. s. Rossman, G. R.

Zippert, Y. s. Müller, G.